PATENTSCOPE


สืบค้นสิทธิบัตรต่างประเทศ


จาก ฐาน ข้อมูล WIPO (World Intellectual Property organization)

Jirapon Luengpailin

1.ไปที่

https://patentscope.wipo.int/search/en/search.jsf





มี 8 search fields


- 1. FRONT PAGE: the search criteria you entered in this field will be searched in the front page of the document.
- 2. ANY FIELD: the search criteria you entered in this field will be searched in any fields of the document.
- 3. FULL-TEXT: enter your query in this field if you are interested in full-text.
- 4. ENGLISH TEXT: the search criteria you entered in this field will be searched in texts in English.

- > Front Page
- Any Field
- Full Text
- English Text
-) ID/Number
- Int.
 - **Classification**
- Name
- Dates


มี 8 search fields

- 5. ID/NUMBER: enter publication number, filing number, etc.
- 6. IPC: enter any International Patent Classification code.
- 7. NAMES: enter your search in this field to look for the name of an inventor, an applicant, a company, etc.
- 8. DATES: enter any date in this field such as filing date, publication date, etc.

- > Front Page
- Any Field
- Full Text
- English Text
- ID/Number
- Int.
 - **Classification**
- Name
- Dates



สามารถกด click เข้าไปดูรายละเอียดคำขอได้





WO/2013/104793 USE OF AVOCADO SKIN FOR OBTAINING AN AVOCADO UNSAPONIFIABLE MATERIAL ENRICHED. WITH SATURATED ALIPHATIC HYDROCARBONS AND WITH STEROLS

WO - 18 07 2013

Int.Class A61K 36/54 (?)

Appl.No PCT/EP2013/050580

Applicant LABORATOIRES EXPANSCIENCE


Inventor MSIKA, Philippe



The present invention relates to the use of avocado skin for obtaining an avocado unsaponific and with sterols, wherein said avocado skin represents 5% to 50% by weight relative to the to process for obtaining an avocado unsaponifiable material enriched with saturated aliphatic

bcarbons ates to a ido skin.

wherein said avocado skin represents 5% to 50% by weight relative to the total weight of avocados used. The invention also relates to an avocado unsaponifiable material enriched with saturated aliphatic hydrocarbons and with sterols, which can be obtained by means of this process. Finally, the invention relates to an avocado unsaponifiable material enriched with saturated aliphatic hydrocarbons and with sterols, for use as a medicament, advantageously in the prevention and/or treatment of connective tissue disorders such as arthrosis, pathological joint conditions such as rheumatism, or else periodontal diseases, such as gingivitis or periodontitis.



EP = **Europe**

EP

01.03.2017

7. 3134183 SHAMPOO COMPOSITION COMPRISING GEL MATRIX AND HISTIDINE

Int.Class A61Q 5/0 Appl.No 15719090 Applicant PROCTER & GAMBLE Inventor MARSH JENNIFER MARY

A shampoo composition; are raiving from about 0.025% to about 0.25% histidine, by weight of the shampoo composition; from about 2% to about 50% of one or more detersive su composition; are raiving from about 0.1% to about 20% of one or more fatty alcohols, by weight of the gel matrix; from about 0.1% to about 10% of one or more gel matrix; and from at the foundation of the gel matrix.

B. 000019631

5 (preferably 0.3-3)

Int.Class A61K 7/0
A shampoo (S) with

WALTER DR

mary or elder, as well as surfactants. Also claimed is a method for controlling lice from humans or animals by applying 0.2massaging the shampoo into the scalp or skin and leaving for \- 1 [preferably 5] minutes before rinsing out with water. A

mixture of lavended, resonance and an aqueous elder leaf extract. [S] contains 3-30 [preferably 6-20] wt.% anionic, nonionic and/or zwitterionic surfactants, in addition to 0.1-20 [preferably 0.5-10] wt.% auxiliary agents and additives chosen from moisturising substances, skin compatibility improving agents, moisture retaining agents, thickeners, [foam] stabilisers, antioxidants, fragrance oils, dyes and/or pearl lustre agents.

ถ้าอยากว่าประเทศที่ยื่นใน ยุโรปมีประเทศใดบ้าง

DE - 12.02.1998

weight of the shampoo

factants, by weight of the gel

7. EP3134183 - SHAMPOO COMPOSITION COMPRISING GEL MATRIX AND HISTIDINE



European Patent Office

National Biblio. Data

Application Number

15719090

Application Date

15.04.2015

Publication Number

3134183

Publication Date

01.03.2017

Publication Kind

IPC IPC

A61Q 5/02 A61K 8/44 A61K 8/49

CPC

A61K 8/342 A61K 8/365 A61K 8/4946 A610 5/02 A61K 2800/51 A61Q 5/006

View more classifications

Applicants

PROCTER & GAMBLE

Inventors

MARSH JENNIFER MARY KELLY CASEY PATRICK HUTTON HOWARD DAVID III

Designated States

View all

Priority Data

14261705 25.04.2014 US

Patent Family

Description Claims

IDEI SHAMPOO MIT GEL MATRIX UND HISTIDINE

Documents

IENI SHAMPOO COMPOSITION COMPRISING GEL MATRIX AND HISTIDINE

(FR) SHAMPOO AVEC MATRICE GEL ET HISTIDINE

Abstract

SM, TR

[EN] A shampoo composition having from about 0.025% to about 0.25% histidine, by weight of the shampoo composition; from about 2% to about 50% of one or more detersive surfactants, by weight of the shampoo composition; and a gel matrix having from about 0.1% to about 20% of one or more fatty alcohols, by weight of the gel matrix: from about 0.1% to about 10% of one or more gel matrix surfactants, by weight of the gel matrix; and from about 20% to about 95% of an aqueous carrier, by weight of the gel matrix.

Designated States AL, AT, BA, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LI, LT, LU, LV, MC, ME, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK,

รายชื่อประเทศที่ยื่นคำขอก็จะแสดง

ให้ click ที่ Designated States

shampoing: hviron 0.1% à ice de gel en

1. KR1020200002292 - SAVING SHAMPOO BOTTLE National Biblio, Data Description Claims Documents **Documents** PermaLink Machine translation ▼ **Description** Claims ข้อถือสิทธิ Republic of Korea **Application Number** 1020180075637 สามารถกด click เข้าไปดูรายละเอียดคำขอได้ Application D 29.06.2018 Publication N 1020200002292 SMAN **Publication Date** 08.01.2020 **Publication Kind**

Abstract


A47K 5/12 B65D 47/06

IPC

[EN] The purpose of the present invention is to solve the problem of wasting shampoo in a normal shampoo bottle and the problem of refilling shampoo. More specifically, a saving shampoo bottle comprises: a shampoo body having a shape of which a lower portion is reduced so that shampoo can flow down; a shampoo separation support provided on a lower portion of the shampoo body, and having the flat bottom preventing the shampoo body from falling as the lower portion is not flat; and a separation support and body connecting screw provided on a lower portion of the separation support to fix the separation support and a hole of the body. When shampoo is completely used, refill shampoo can be easily filled by coupling the shampoo separation support with the entrance of the shampoo body. Therefore, the present invention enables a user to use the last of the shampoo when in use and to easily fill the used shampoo bottle with refill shampoo. COPYRIGHT KIPO 2020

[KO] 이에 본 발명은 상기한 바와같이 일반적 샴푸통의 샴푸 낭비의 문제점을 해결하고 샴푸 리필시의 어려움을 해결하기 위한 것이다.더욱 상세하게는 절약 샴푸통에 있어서, 샴푸가 아래로 흐를 수 있게 아래부분이 줄어드는 모양의 샴푸 몸체와, 상기 샴푸 몸체의 하부에 아래부분이 평평하지 않아 넘어지는 상황을 막아주는 바닥이 평평한 샴푸 분리 받침대, 상기 샴푸 분리 받침대 하부에 분리 받침대와 몸체의 구멍을 고정시켜주는 분리 받침대-몸체 이음 나사로 구성한 것이다. 샴푸의 사용이 다 끝난 후에는 샴푸 분리받침대를 샴푸 몸체의 입구와 결합시켜 리필용 샴푸를 쉽게 채울 수 있게 구성한 것이다. 따라서 본 발명은 샴푸 사용중 마지막 남은 부분까지도 모두 사용함과 동시에 사용을 다한 샴푸통에 리필용 샴푸를 채우기 편하도록 함을 목적으로 한 것이다.

ถ้าต้องการให้แปลภาษาให้ใช้ google translate โดย click ที่ mouse ขวา ตรงที่ว่าง



อาจจะแปลเพี้ยนบ้าง แต่ก็พออ่านได้ความ



Feedback Search ▼



FP:(shampoo)

Chose another language

14,548 results Offices all Languages in Stemming true Single Family Member false Include NPL false


Sort: Relevance ▼ Per page: 10 ▼ View: All ▼


(1/1,455 ▼)

Machine translation ▼

.. MX/A/2009/004002 SHAMPOO WITH OZONE

MX - 22.11.2010







A WIPO account สมัครฟรื

สามารถกำหนดการแสดงข้อมูลได้

1/7,209 ▼

Relevances **Pub Date Desc Pub Date Asc App Date Desc App Date Asc**

OCADOS

Paino Avocado Company, Inc. cados with optimum yield and minimal chemical change

avocado oil can be extracted from the remaining cake by reacCOUNT

RSS feed can only be generated if you have a WIPO

EMENT SYSTEM AND METHOD

Applicant West Pak Avocado, LLC Inventor Heath Shoup

A supply chain management system is provided that includes a label having a first side with an adhesive and a second side with a plurality of information units printed thereon. The plurality of information units are printed in visible ink or invisible ink and the invisible ink is activated by environmental conditions such as temperature or light spectrum. The label is affixed to an object being processed and the visible appearance of one or more information elements originally printed in invisible ink is used for further processing or the object.

WO/2007/105969 POWDERED COMPOSITIONS AND PROCESSES FOR PREPARING THEM

100

200

WO - 20.09.2007

US - 01.11.2022

Int.Class <u>A23L 1/00</u> ?


Appl.No PCT/NZ2007/000051 Applicant AVOCADO OIL NEW ZEALAND LIMITED

Inventor PHILLIPS, Martin, Lewis

The invention relates to a composition in the form of a powder. The composition is prepared by drying an aqueous paste or liquid suspension comprising avocado flesh from which at least part of the avocado oil has been removed. The composition may be used as a food ingredient and in cosmetic, nutraceutical and pharmaceutical compositions.

20170006065 APPLICATION SECURITY CAPABILITY EXCHANGE VIA THE APPLICATION AND DATA PROTECTION LAYER

US - 05.01.2017




- การสืบคันจาก Front page
- คำที่ใช้สืบคันจะต้องมีอยู่บน Front page
- ก้าคำที่สืบค้น ไม่มีบน Front page ก็จะ ไม่พบคำขอ

ค้นหาจากคำว่า lemon อาจจะมีคำขอที่

- ผู้ประดิษฐ์ชื่อ lemon
- บริษัทที่เป็นเจ้าของสิทธิบัตรชื่อ บริษัท lemon
- ชื่อการประดิษฐ์ที่มีคำว่า lemon
- การประดิษฐ์ที่มีส่วนประกอบของ lemon


- สืบคันแบบตั้งเงื่อนไขให้ Click ที่ Search
- ແລ້ວ click Field Combination
- จะทำให้สามารถตั้งเงื่อนไขการสืบคันได้เพิ่มขึ้น



Field combination

- 2. เลือกเงื่อนไข
- 3. พิมพ์คำที่ต้องการสืบค้น

FIELD COMBINATION -



Field combination

- ♣ Applicant Name → ชื่อผู้ขอ (เจ้าของ)
- ♣ Application Number → เลขที่คำขอ
- 🏶 English Abstract 🟓 บทคัดย่อภาษาอังกฤษ
- 🏶 English Claims 🟓ข้อถือสิทธิภาษาอังกฤษ
- 🯶 English Description 🕨 รายละเอียดการประดิษฐ์
- ♣ English Title → ชื่อเรื่องภาษาอังกฤษ
- 🟶 Inventor Name 🕈 ชื่อผู้ประดิษฐ์
- 🧚 Licensing availability 🔷 การอนุญาตให้ใช้สิทธิ

อื่นๆ

Field combination

- 🚸 WIPO Publication Number 👈 เลขประกาศโฆษณาของ WIPO
- 🏶 Application Number 🛶เลขที่คำขอ
- Publication Date →วันที่ประกาศโฆษณา
- International Class → รหัสประเทศ
- 🏶 Office Code 🔷รหัสสำนักงาน
- 🚸 Licensing availability 📦 การอนุญาตให้ใช้สิทธิ
- 🏶 English Title 🔷 ชื่อเรื่องภาษาอังกฤษ
- 🯶 English Abstract ᅌ บทุคัดย่อภาษาอังกฤษ
- 🏶 Application Name 🔷 ชื่อผู้ขอ (เจ้าของ)
- 🟶 Inventor Name 🔷 ชื่อผู้ประดิษฐ์
- 🯶 English Description 🔷 รายละเอียดการประดิษฐ์
- 🏶 English Claims 🔷ข้อถือสิทธิภาษาอังกฤษ



กำหนดเงื่อนไข Inventor Name = steve jobs

FIELD COMBINATION -

		Field Front Page	•	Value			?
Operator AND	•	Inventor	'n	ame	Steve jo	bs	?
Operator AND	•	Field Application Number	•	Value	~		?
Operator AND	•	Field Publication Date	•	Value			?
Operator AND	~	Field English Title	₩	Value			?
Operator AND	*	Field Abstract	₩	Is Empty: N/A			*
Operator AND	•	Field Licensing availability	*			search	

58 results

IN:(steve jobs)

58 results Offices all

Languages en

Stemming true

Single Family Member false

Sort: Relevance ▼ Per page: 10 ▼ View: All ▼

< 1/6 ▼ >

Machine translation ▼

20130145325 DYNAMICALLY CHANGING APPEARANCES FOR USER INTERFACE ELEMENTS DURING DRAG-AND-DROP OPERATIONS

US - 06.06.2013

Int.Class G06F 3/048 (?) Appl.No 13681385 Applicant Apple Inc. **Inventor** Bas Ording

A user interface includes elements whose appearance dynamically changes in dependence upon functions associated with the elements. In the case of an icon that is the destination for a drag-and-drop operation, the image displayed for the icon changes in accordance with the object being dragged to it, to represent the task that will be performed as a result of the drag-and-drop operation. The appearance of other elements involved in drag-and-drop operations can also be varied, to reflect the task at hand. As a result, the user is provided with more intuitive feedback regarding the functions that will be performed by the computer as a result of a drag-and-drop operation.

2261909 METHOD AND APPARATUS FOR USE OF ROTATIONAL USER INPUTS


FP - 15.12.2010

Int.Class G11B 20/10 (?) Appl.No 10011447 Applicant APPLE INC Inventor ROBBIN JEFFREY

Improved approaches for users of computing devices to interact with graphical user interfaces are described. According to one aspect, a rotational user action supplied by a user at a user input device is transformed into linear action with respect to a graphical user interface. According to another aspect, a portion of an extended list of items is displayed by a graphical user interface and, through rotational user actions at a user input device, the portion of the list being displayed can be varied with welcomed ease of use. Although the type of computing device can vary, the improved approaches are particularly well-suited for use with a portable media player.

ถ้าอยากทราบว่า บริษัท Samsung จดสิทธิบัตร อะไรบ้าง สืบคันอย่างไร

FIELD COMBINATION -




พบ 830,851 คำขอ



สามารถกด click เข้าไปดูรายละเอียดคำขอได้

PA:(samsung)




2. <u>100713253*</u> SOLID-LIQUID SEPARATION SYSTEM USED IN PROCESS FOR PREPARING TEREPHTHALIC ACID, WHICH COMPRISES PRESSURIZED SEPARATION TANK, SOLVENT SUBSTITUTION WATER STORAGE TANKS, STREAM DUCTS, VACUUM SEPARATION TANK,

KR - 24.04.2007

ถ้าอยากทราบว่า บริษัท Samsung จด สิทธิบัตร มือถือ กี่เรื่อง สืบคันอย่างไร

FIELD COMBINATION Field (?) Value Front Page Field Operator (?) Value **Applicant Name** AND Samsung Operator (?) Value **English Title** mobile AND Field Operator (?) Value **Publication Date** AND Operator Field Value **English Title** AND Is Empty: Field Operator AND Abstract N/A Field Operator AND **26,732** results Search

ถ้^{*}ถ้าต้องการดูข้อมูลเพิ่มเติม click ที่ next page สิทธิบัตร มือถือ แบบ touch screen จะสืบค้น ?



ถ้าต้องการดูข้อมูลเพิ่มเติม click ที่ next page

PA:(samsung) AND EN TI:(mobile) AND EN CL:(touch)

Sort: Relevance ▼ Perpage: 10 ▼ View: All ▼

Single Family Member false Include NPL false

<1/98>

Next page

Machine translation •

US - 13.08.2015

1. 20150229754 MOBILE TERMINAL, USER INTERFACE METHOD IN THE MOBILE TERMINAL, AND COVER OF THE MOBILE TERMINAL

Appl.No 14603760 Applicant Samsung Electronics Co., Ltd. Inventor Sung-Joon Won

A mobile termina hod in the mobile terminal, and a cover of the mobile terminal are provided for processing input. A first area of a touch screen of the mobile terminal corresponding to a window area of the cover is defined, and a second area of the touch screen of the mobile terminal corresponding to a non-window area of the cover is defined. A first input in the second area while the cover is closed over the touch screen is detected and the first input as a first control command is processed.

Click เข้าไปดูรายละเอียดคำขอที่สนใจได้

US - 06.02.2014

A lock state releasing method and a mobile device that releases the lock state by identifying input features of a signature, are provided. The method includes detecting an input signature for releasing the lock state, identifying an input means corresponding to the input, extracting an input feature of the input, calculating similarities and setting weights according to input features, calculating a total similarity, based on the similarities, determining whether the verification is successful, based on the total similarity, and releasing the lock state if the verification has succeeded.

20150099486 MOBILE TERMINAL, MOBILE TERMINAL AUXILIARY DEVICE AND METHOD FOR CONTROLLING THE SAME

US - 09.04.2015


Int.Class H04M

Appl.No 14509670 Applicant Samsung Electronics Co., Ltd. Inventor Hyun Chul Choi

Methods and app xises are provided for controlling a mobile terminal and a mobile terminal auxiliary device. Information on at least one of the mobile terminal and the mobile terminal auxiliary device and securityrelated information on the at least one of the mobile terminal and the mobile terminal auxiliary device are stored. It is determined whether the mobile terminal and the mobile terminal auxiliary device exist within a predetermined available distance, it is determined whether the mobile terminal and the mobile terminal auxiliary device exist within the predetermined available distance, it is determined whether the mobile terminal or the mobile terminal auxiliary device has been registered by using the stored information.

ถ้าอยากทราบว่า บริษัท johnson and johnson จดสิทธิบัตรอะไรบ้าง สืบคันอย่างไร

FIELD COMBINATION -




พบ 121,105 คำขอ

Data on Jun 15,2025


ถ้าอยากทราบว่า บริษัท johnson and johnson จด สิทธิบัตร powder กี่เรื่อง สืบคันอย่างไร

FIELD COMBINATION -



ถ้าอยากทราบว่า บริษัท johnson and johnson จด สิทธิบัตร powder ที่มีส่วนผสม cornstarch ก็เรื่อง สืบคันอย่างไร

FIELD COMBINATION -



8 results



FIELD COMBINATION Field Value Front Page Operator Field Value WIPO Publication Number AND Operator Field Value ∇ AND Application Number Operator Field Value AND **Publication Date** Field Operator Value **English Title** AND Oper สามารถตั้งเงื่อนไขเพิ่มเติมได้มากกว่า 10 เงื่อนไข

Add another search field (-) Reset search fields

Add another search field



Keyword คือสิ่งที่สำคัญในการสืบคัน Use the different word

- Lotion
- cream
- Moisturizer
- Skin care ฯลฯ

ถ้าต้องสืบค้นสิทธิบัตรเกี่ยวกับกัญชา

- Marijuana
- **Canabis**
- Cannabidiol
- Cannabioid
- Tetrahydroconnabinol

➤ Keyword คือสิ่งที่สำคัญในการสืบคัน

- มือถือ
- Mobile phone
- Communication device
 - Portable apparatus for storing a phone book
 - Apparatus for dial
 - Community dialing circuit apparatus for pots phone and IP phone
 - 🕨 ฯลฯ